



Protective Covers

For protection against dust and shock, transparent protective covers can be installed above the Terminal Block assembly. The protective cover is held in place with the help of a fixing nut on the support plate CSP1. Support Plate CSP1 can be mounted on all DIN rails. It is advised to use standard end clamps / stops to hold the CSP1 in place.

| ORDERING INFORMATION | | | |
|----------------------|--|-----------|--|
| CAT. NO. | DESCRIPTION | STD. PACK | |
| CBBPC2/100 | Protective cover is available in 100 mm Length | 10 | |
| CBBPC2/160 | Protective cover is available in 160 mm Length | 10 | |
| CBBPC2/200 | Protective cover is available in 200 mm Length | 10 | |
| CBBPC2/250 | Protective cover is available in 250 mm Length | 10 | |

| SUITABLE FOR | | |
|--------------|---|--|
| CBB150LS | 150 sq.mm Stud Type Power Terminal Blocks | |
| CBB185LS | 185 sq.mm Stud Type Power Terminal Blocks | |
| CBB120 | 120 sq.mm Stud Type Power Terminal Blocks | |
| CBB120LS | 120 sq.mm Stud Type Power Terminal Blocks | |
| CBB150 | 150 sq.mm Stud Type Power Terminal Blocks | |
| CBB185 | 185 sq.mm Stud Type Power Terminal Blocks | |
| CBB95LS | 95 sq.mm Stud Type Power Terminal Blocks | |
| CBB95 | 95 sq.mm Stud Type Power Terminal Blocks | |